

Advertisements: Adding Microlearning to Social News Feeds and Websites

Geza Kovacs
Stanford University
Stanford, USA
geza@cs.stanford.edu




Figure 1. Our extension can show interactive microlearning tasks (Edvertisements) in users' Facebook news feeds.

ABSTRACT

Many long-term goals, such as learning a language, require people to regularly practice every day to achieve mastery. At the same time, people regularly surf the web and read social news feeds in their spare time. We have built a browser extension that teaches vocabulary to users in the context of Facebook feeds and arbitrary websites, by showing users interactive quizzes they can answer without leaving the website. On Facebook, the quizzes show up as part of the news feed, while on other sites, the quizzes appear where advertisements normally would. In our user study, we examined the effectiveness of inserting microlearning tasks into social news feeds. We compared vocabulary learning rates when we inserted interactive quizzes into feeds, versus inserting links that lead them to a website where they could do the quizzes. Our results suggest that users engage with and learn from our embedded quizzes, and engagement increases when the quizzes can be done directly within their feeds.

Author Keywords

microlearning; social feeds; facebook; advertisements; language learning

ACM Classification Keywords

H.5.2. User Interfaces: Graphical user interfaces (GUI)

Paste the appropriate copyright statement here. ACM now supports three different copyright statements:

- ACM copyright: ACM holds the copyright on the work. This is the historical approach.
- License: The author(s) retain copyright, but ACM receives an exclusive publication license.
- Open Access: The author(s) wish to pay for the work to be open access. The additional fee must be paid to ACM.

This text field is large enough to hold the appropriate release statement assuming it is single spaced.

Every submission will be assigned their own unique DOI string to be included here.




Figure 2. Our extension can replace advertisements with interactive microlearning tasks (Edvertisements) on arbitrary websites.

INTRODUCTION

Many people have long-term learning goals, such as wanting to learn a new language. However, they often fail to achieve these goals, citing the lack of time to study as a major reason [7, 13, 17]. Nevertheless, people do have spare time, as shown by their recreational web browsing and social network usage. American adults spend an average of 27 hours per month surfing the web [16]. 71% of American adults use Facebook, and 63% of these visit Facebook daily [5]. 90% of American college students use Facebook, spending on average of 30 minutes on Facebook each day [8].

In this paper, we present *Edvertisements*, which help users learn during their spare time by showing them interactive microlearning tasks as they surf the web and read their Facebook feeds. We implemented a Chrome extension which shows Edvertisements in two ways:

- On Facebook, the extension embeds Edvertisements directly into the feed alongside regular posts (see Figure 1).
- On other sites, the extension replaces web advertisements with Edvertisements (see Figure 2).

Our research questions are:

- Do users engage with and learn from Edvertisements that we insert into their Facebook feeds?
- Do users engage more with Edvertisements if they can complete the microlearning tasks without leaving their Facebook feeds (compared to external links)?

In our user study, we examined engagement and vocabulary acquisition rates after embedding Edvertisements into users' Facebook feeds. We found that users interacted frequently with Edvertisements, improved their post-test results after a week, and engaged more readily with Edvertisements when they did not have to leave their social news feeds.

RELATED WORK

Microlearning

Microlearning is the strategy of studying frequently in short intervals throughout the day [11]. Several mobile applications use microlearning to teach foreign language vocabulary and other materials [1, 7]; however, these require the user to interrupt their routine to open a dedicated app for studying.

Some systems try to solve this problem by embedding microlearning into other contexts. There are games in which users complete learning tasks while playing [2], video players which teach vocabulary while users watch foreign-language videos [15], screensavers that display facts while the screen is idle [12], and chat clients that show vocabulary while the user is chatting [3].

Compared to the learning contexts used by existing systems, we believe that web surfing and Facebook feeds are especially potent locations for embedding microlearning, because:

- Unlike playing educational games or watching foreign-language videos, visiting Facebook is a daily habit for 45% of American adults with an internet connection. [5]
- Web surfing and reading Facebook news feeds are recreational activities, so the embedded microlearning tasks will not interrupt users' work.
- Users are already accustomed to a variety of rich content appearing in their Facebook feeds, such as videos, games, recommendations, and advertisements, so they should not find the added Edvertisements too distracting.

Using Social News Feeds to Trigger Desired Habits

Many apps post on users' Facebook feeds to drive engagement. For example, Duolingo can share users' study progress, and Strava can share users' exercise history. These posts aim to get users' friends to send them encouraging feedback, and to try the apps themselves. However, these posts are often viewed as bragging about trivial accomplishments, and receive little attention [9].

These posts are examples of *triggers*, which are calls to action designed to help users form habits [10]. Facebook app posts require the user to go to a different website to study, as Facebook's API does not allow apps to post interactive content. With Edvertisements, we lower the barrier to action by allowing the user to study without leaving the website.

Web Advertising and Ad-Blocking

Although advertisements are an important revenue source for websites, surveys indicate that 77% of users almost never click on ads, and 69% express interest in skipping or blocking ads [19]. 16% of US web users use ad blockers, which are browser extensions that prevent web ads from being displayed. Ad blocker usage is growing – global ad blocking has more than tripled since 2013, and is poised to further grow as ad blockers for mobile devices gain traction [18].

In surveys, users of ad-blockers cite “distracting animations and sounds”, and “offensive/inappropriate ad content” as their top reasons for blocking ads [19]. Even users who do not install ad blockers tend to avoid looking at ads, a phenomenon known as “banner blindness.” In fact, web surfers click on less than 0.5% of advertisements – a number which has been declining ever since banner ads were introduced in 1994 [4]. Edvertisements repurpose this space for microlearning.

EDVERTISEMENTS SYSTEM

Our system is a Chrome extension that can show users microlearning tasks – in our case, vocabulary quizzes – in users' Facebook feeds, or as they are browsing the web. Although we originally implemented the browser extension for Chrome, we have also ported it to Firefox, and our technique can be implemented on any browser that supports extensions (Chrome, Firefox, Edge, Safari, etc). Our system features a variety of microlearning tasks for learning vocabulary in multiple languages, but in this paper we will focus on learning Japanese vocabulary.

Inserting Edvertisements into Facebook Feeds

Our extension can insert Edvertisements into users' Facebook feeds as rectangular interactive quizzes mimicking the look of a regular feed item, as shown in Figure 1. We chose to insert 1 microlearning task for every 10 normal feed items, to mimic the approximate frequency we observed sponsored content appearing in the feed.

Replacing Web Advertisements with Edvertisements

People spend considerable time on sites other than Facebook, so we also created a general mechanism for presenting microlearning tasks as users browse the web. Our extension detects web advertisements on pages, and replaces them with microlearning tasks.

We detect the presence of web advertisements using the same approach as ad blockers – by checking the URL the element originates from, and comparing it against EasyList, a list of known URL patterns for advertisements maintained by Ad-block Plus. When we detect an element that is an advertisement, we replace it with an Edvertisement of the same size.

Web advertisements follow standardized sizes, called the IAB (Interactive Advertising Bureau) Standard Ad Units. We have created microlearning tasks which fit 2 of the common sizes – 300x250 and 200x90 – corresponding to regular-sized and small ads. If a microlearning task in the appropriate size is not available, we pick a smaller one and scale and stack it to fit the available space. For example we can fill a banner ad (728x90) with 3 small Edvertisements, as shown in Figure 2.




Figure 3. One type of quiz presents a noun in English (*umbrella*), and asks the user to select the correct translation into Japanese (*kasa*). The user has incorrectly selected *fukuro*, so the user is shown its meaning (*bag*), and tries again.



Figure 4. Another type of quiz presents a noun in Japanese (*jikan*), and asks the user to select its meaning (*time*).

Quiz Types

One type of quiz presents a noun in English, and asks the user to select the corresponding Japanese word, as shown in Figure 3. To ensure that users learn word associations in both directions, we also have a second type of quiz, which shows the user a Japanese word and asks for the corresponding English translation, as shown in Figure 4.

We chose this multiple-choice quiz format because it tests the user’s knowledge with a minimal amount of interaction – the user simply clicks on a word to answer. Once the user answers a quiz correctly, a new quiz testing a different word is displayed. Thus, users can engage with an Advertisement to continue study vocabulary for as long as they wish to.

Quiz Generation

We obtained words and translations from the Nouns section of Wiktionary’s 1000 Basic Japanese Words list. We excluded loanwords that users would easily recognize (*pinku*=pink), and words that become homographs when romanized (*hana*=flower or nose). We focus on nouns, because they are the most common type of word [1].



Figure 5. The control condition in our user study inserted a link into users’ Facebook feeds that led them to a site where they could do quizzes.

Spaced Repetition

Spaced repetition algorithms schedule items for review to ensure long-term retention [14]. We modified the Memreflex algorithm [6] to show the overdue word that appeared least recently in the feed (or to introduce a new word if there are no overdue words), instead of always showing the most overdue word. This ensures that users will continue to see different words as they are scrolling through their feeds, even if they are not always answering the in-feed quizzes.

USER STUDY

We conducted a preliminary user study to see how frequently users would engage with Advertisements, and compare the effectiveness of embedded interactive quizzes that can be completed without leaving the page, versus inserting static links as is done by today’s advertisements and sponsored Facebook posts.

In our study, we only inserted Advertisements into Facebook feeds, and did not manipulate advertisements, since many users were already using ad-blockers. Furthermore, manipulating the Facebook feed enabled us to better control the frequency and size of inserted quizzes, compared to repurposing existing advertisement slots.

Participants

We recruited 14 users (6 female, 8 male; ages 18-29 with median age 20) who had not previously studied Japanese but were interested in learning some basic vocabulary. They were voluntary participants recruited from online forums and Facebook groups related to Japanese culture. All of our participants self-reported that they were regular users of Facebook.

Materials

We selected 50 basic Japanese words from Wiktionary’s Basic Japanese Words list as the study material. We presented vocabulary words in romanized form instead of Japanese script, since our users could not read Japanese script.

Conditions

Users were assigned to one of two conditions:

- Users in the *in-feed quiz* condition had quizzes inserted directly into their feeds, as shown in Figure 1.
- Users in the *link* condition were shown links to a site where they could do the quizzes, as shown in Figure 5.




Figure 6. Vocabulary test scores for the in-feed quiz and link conditions, with standard error bars.

Logged event type	in-feed quiz	link	Significant difference?
Number of quizzes answered	116.3	17.9	Yes (t=2.42, p=0.032)
Number of study sessions	21.29	2.00	Yes (t=2.62, p=0.022)
Number of days on which at least one quiz was answered	4.43	0.86	Yes (t=4.33, p=0.001)
Fraction of days Facebook was visited on which at least one quiz was answered	0.81	0.18	Yes (t=4.87, p=0.0004)
Number of days on which Facebook was visited at least once (out of 7)	5.71	6.14	No (t=-0.43, p=0.677)
Average time spent on Facebook each day (in minutes)	14.7	25.4	No (t=-0.71, p=0.489)
Number of items inserted into the feed	132.1	175.6	No (t=-0.56, p=0.585)

Figure 7. Average number of events logged per user for the in-feed quiz and link conditions.

Apart from the different items (quizzes/links) inserted into the feed, the questions and quiz interfaces were identical in both conditions. In both conditions, the items were inserted at a rate of 1 quiz/link per 10 feed items.

Procedure

The study was conducted entirely online. First, users took a pre-test where they tried matching the 50 Japanese words to their 50 English definitions. Then they installed our Chrome extension and used it to study the 50 words for a week. After a week, we asked users to take the post-test, which had the same format as the pre-test.

RESULTS

Vocabulary Quiz Results

Figure 6 shows average vocabulary pre-test and post-test scores. On average, users in the in-feed quiz condition learned 13.2 new words, compared to 2.4 new words in the link condition. However, this difference was not statistically significant (t=1.38, p=0.20).

Engagement With Advertisements

Figure 7 shows the number of times users practiced answering quizzes. We also kept track of “study sessions”, which we defined as the number of times the user clicked on the link to visit the website (in the link condition), or first engaged with an Advertisement (in the in-feed quiz condition).

We found that there was high engagement with in-feed Advertisements – on average, users answered 116 quizzes across 21 study sessions and answered a question 4.4 days of the 5.7 days they visited Facebook. Users in the in-feed quiz condition answered significantly more quizzes than the link condition, engaged in more study sessions, and studied on more days across the week.

Qualitative Feedback

Some users mentioned that they would prefer words to be explicitly introduced first before they start appearing in quizzes. In addition, as we can see from the ratio of study sessions to feed insertions, even in the in-feed quiz condition, users only interact with 1/5 of quizzes they see. Hence, we need to ensure that seeing items reinforces memory, even if users do not interact with them. To address this issue, we later added new types of items to introduce new words and review old ones, such as the one shown in Figure 2.

CONCLUSION AND FUTURE WORK

Advertisements are microlearning tasks that we show to users as they are surfing the web. We have built a browser extension that can insert Advertisements into Facebook feeds, or replace web advertisements with Advertisements.

In our user study, we inserted Advertisements teaching vocabulary into users’ Facebook feeds. We found that users engaged with and learned from Advertisements, and that engagement rates were significantly higher when the quizzes could be done without leaving their Facebook feeds.

Our current implementation can insert Advertisements into Facebook feeds, and can replace web advertisements with them. There are other online contexts where we might show users Advertisements – for example, between Youtube videos, chapters of an e-book, or in their email. Although we have focused on microlearning, Advertisements could also be used to remind people to do other small, beneficial tasks as they are idly surfing the web – for example, encouraging people to do a short exercise, or complete an item on their to-do list.

Other directions for future work include making Advertisements more personalized and contextually relevant, based on the user’s browsing history and social networks. For example, if today is your Chinese friend’s birthday and your browsing habits indicate that you are learning Chinese, we might show an Advertisement in your Facebook feed teaching you how to wish him a happy birthday in Chinese. Or if you are reading an anti-vaccination webpage, an Advertisement might teach you scientific facts about vaccines, showing the names of your friends who have also completed that Advertisement. Or if many of your friends run, we might show you an Advertisement about the health benefits of running, showing your friends’ recent runs as part of the Advertisement.

Production of Advertisements and monetization is another area of future work. One potential approach is sponsored Advertisements – for example, a local gym might sponsor an Advertisement which teaches you a workout routine, hoping it will encourage you to visit their gym.

People spend hours surfing the web, but many fail to invest time towards learning and other forms of self-improvement. By putting interactive microlearning tasks right in peoples’ social feeds and websites, we aim to help users learn in their spare time, one Advertisement at a time.

ADVERTISEMENT DEMO AND SOURCE CODE

Researchers interested in using or building on Advertisements can visit <https://advertisements.github.io/>

REFERENCES

1. Jennifer S Beaudin, Stephen S Intille, Emmanuel Munguia Tapia, Randy Rockinson, and Margaret E Morris. 2007. Context-sensitive microlearning of foreign language vocabulary on a mobile device. In *Ambient Intelligence*. Springer, 55–72.
2. Carrie J Cai. 2013. Adapting arcade games for learning. In *CHI'13 Extended Abstracts on Human Factors in Computing Systems*. ACM, 2665–2670.
3. Carrie J Cai, Philip J Guo, James R Glass, and Robert C Miller. 2015. Wait-Learning: Leveraging wait time for second language education. In *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems*. ACM, 3701–3710.
4. Chang-Hoan Cho and University of Texas at Austin) is an as. 2004. Why do people avoid advertising on the internet? *Journal of advertising* 33, 4 (2004), 89–97.
5. Maeve Duggan and Aaron Smith. 2013. Social media update 2013. *Pew Internet and American Life Project* (2013).
6. Darren Edge, Stephen Fitchett, Michael Whitney, and James Landay. 2012. MemReflex: adaptive flashcards for mobile microlearning. In *Proceedings of the 14th international conference on Human-computer interaction with mobile devices and services*. ACM, 431–440.
7. Darren Edge, Elly Searle, Kevin Chiu, Jing Zhao, and James A Landay. 2011. MicroMandarin: mobile language learning in context. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. ACM, 3169–3178.
8. Nicole B Ellison, Charles Steinfield, and Cliff Lampe. 2007. The benefits of Facebook friends: Social capital and college students use of online social network sites. *Journal of Computer-Mediated Communication* 12, 4 (2007), 1143–1168.
9. Daniel A Epstein, Bradley H Jacobson, Elizabeth Bales, David W McDonald, and Sean A Munson. 2014. From nobody cares to way to go!: A Design Framework for Social Sharing in Personal Informatics. (2014).
10. Brian J Fogg. 2002. Persuasive technology: using computers to change what we think and do. *Ubiquity* 2002, December (2002), 5.
11. Gerhard Gassler, Theo Hug, and Christian Glahn. 2004a. Integrated Micro Learning—An outline of the basic method and first results. *Interactive Computer Aided Learning* 4 (2004).
12. Gerhard Gassler, Theo Hug, and Christian Glahn. 2004b. Integrated Micro Learning—An outline of the basic method and first results. *Interactive Computer Aided Learning* 4 (2004).
13. Matthew Kam, Divya Ramachandran, Varun Devanathan, Anuj Tewari, and John Canny. 2007. Localized iterative design for language learning in underdeveloped regions: the PACE framework. In *Proceedings of the SIGCHI conference on Human factors in computing systems*. ACM, 1097–1106.
14. Jeffrey D Karpicke and Althea Bauernschmidt. 2011. Spaced retrieval: absolute spacing enhances learning regardless of relative spacing. *Journal of Experimental Psychology: Learning, Memory, and Cognition* 37, 5 (2011), 1250.
15. Geza Kovacs and Robert C Miller. 2014. Smart subtitles for vocabulary learning. In *Proceedings of the 32nd annual ACM conference on Human factors in computing systems*. ACM, 853–862.
16. Nielsen. 2014. The U.S. Digital Consumer Report. *The Nielsen Company* (2014).
17. Rebecca Oxford and Jill Shearin. 1994. Language learning motivation: Expanding the theoretical framework. *The modern language journal* 78, 1 (1994), 12–28.
18. Pagefair and Adobe. 2015. The cost of ad blocking. *PageFair and Adobe 2015 report* (2015).
19. Nevena Vratonjic, Mohammad Hossein Manshaei, Jens Grossklags, and Jean-Pierre Hubaux. 2013. Ad-blocking games: Monetizing online content under the threat of ad avoidance. In *The Economics of Information Security and Privacy*. Springer, 49–73.